

H 7840 BMX

Handleless microwave combination oven with a seamless design, automatic programmes and food probe



- Easy cleaning compartment with PerfectClean & linen structure
- Network-enabled WiFi appliance Miele@home
- Large touch display with movement sensor M Touch + MotionReact
- Faster and more consistent results Quick & Gentle
- Get what you want in one easy step – Quick MW and Popcorn button

EAN: 4002516713463 / Material number: 12310190 / Old Material Number: 22784086GB

Construction type	
Appliance Colour	Obsidian black matt
Construction type and design	
Built-in microwave combination oven	•
ArtLine	•
Handleless	•
Convenience features	
Quick & Gentle	•
Rapid heat-up	•
Pre-heating	•
Food probe	
Keeping warm	•
Crisp function	•
Operating modes	
Defrosting	•
	•
Automatic programmes Country-specific automatic programmes	•
Auto roast	-
Eco fan heat	•
Grill	•
Fan plus	
Intensive bake	•
Low temperature cooking	•
Microwave	
Microwave with Auto roast	
Microwave + Grill	
Microwave + Fan plus	
Microwave + Fan grill	
Conventional heat	
Bottom heat	
Fan grill	
Special applications	•
User convenience	
Networking with Miele@home	•
Display	M Touch
MotionReact proximity sensor	•
MotionReact: light comes on when movement is detected	•
MotionReact: display comes on when movement is	•
detected	
MotionReact: audible signal is acknowledged when	•
movement is detected	_
MotionReact: detection of cabinet fronts	
SoftOpen	
Touch2Open	•
3 in 1	Oven, Microwave, Oven with microwave function
MultiLingua	•
MyMiele	•
Help function	•
Popcorn function	•
Polyphonic buzzers	•



H 7840 BMX Handleless microwave combination oven with a seamless design, automatic programmes and food probe



EAN: 4002516713463 / Material number: 12310190 / Old Material Number: 22784086GB

Time of day display	•
Clock synchronisation	•
Date display	•
Minute minder	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Programmable cooking duration	•
Actual temperature display	•
Target temperature display	•
Buzzer when desired temperature is reached	•
Recommended temperature	•
Recommended microwave power	•
Quick microwave	•
User programmes	•
Individual settings	•
Efficiency and sustainability	
Automatic residual heat utilisation	•
Power rating in off mode in W	0.5
Power rating in standby mode in W	1.0
Power rating in networked standby in W	2.0
Time until automatic switch to standby in min	20
Time until automatic switch to networked standby in min	20
Time until automatic switch to off mode in min	20
Cleaning and care	20
	•
Stainless-steel oven compartment with linen structure and PerfectClean	- <u></u> -
Hinged grill element	•
	_ .
CleanGlass door	•
CleanGlass door Safety	•
CleanGlass door Safety Appliance cooling system and touch-cool front	•
CleanGlass door Safety	•
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock	•
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock	•
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock	•
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock	• • • •
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data	• • • • • 43
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I	• • • •
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels	• • • • • 43
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light	43 3 3 1 LED spot
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C	• • • • • • 43 3 3 3 3
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C Electronic temperature regulation min. in °C	43 3 3 1 LED spot
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C Electronic temperature regulation min. in °C	43 3 3 3 1 LED spot 30–250
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C Electronic temperature regulation min. in °C	43 3 3 1 LED spot 30–250
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C Electronic temperature regulation min. in °C	43 3 3 3 1 LED spot 30-250 30 250
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C Electronic temperature regulation min. in °C Electronically controlled microwave power	43 3 3 3 1 LED spot 30-250 30 250
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C Electronic temperature regulation min. in °C Electronic temperature regulation max. in °C Electronically controlled microwave power Microwave power levels in W	• • • • • • • • • • 3 3 3 1 LED spot 30–250 30 250 •
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C Electronic temperature regulation min. in °C Electronic temperature regulation max. in °C Electronically controlled microwave power Microwave power levels in W Niche width min. in mm	• • • • • • • • • • • • • • • • • • •
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C Electronic temperature regulation min. in °C Electronic temperature regulation max. in °C Electronically controlled microwave power Microwave power levels in W Niche width min. in mm Niche height min. in mm Niche height max. in mm	• • • • • • • • • • • • • • • • • • •
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C Electronic temperature regulation min. in °C Electronic temperature regulation max. in °C Electronically controlled microwave power Microwave power levels in W Niche width min. in mm Niche height min. in mm	• • • • • • • • • • • • • • • • • • •
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C Electronic temperature regulation min. in °C Electronic temperature regulation max. in °C Electronically controlled microwave power Microwave power levels in W Niche width min. in mm Niche height min. in mm Niche height max. in mm	• • • • • • • • • • • • • • • • • • •
CleanGlass door Safety Appliance cooling system and touch-cool front Safety switch-off System lock Sensor lock Technical data Oven compartment volume in I No. of shelf levels Number of shelf levels oven compartment 1 Number of shelf levels oven compartment 2 Oven light Temperatures in °C Electronic temperature regulation min. in °C Electronically controlled microwave power Microwave power levels in W Niche width min. in mm Niche height min. in mm Niche height max. in mm Niche depth in mm	• • • • • • • • • • • • • • • • • • •



H 7840 BMX Handleless microwave combination oven with a seamless design, automatic programmes and food probe



EAN: 4002516713463 / Material number: 12310190 / Old Material Number: 22784086GB

Appliance depth in mm	568
Weight in kg	38.0
Total rated load in kW	3.20
Voltage in V	220-240
Frequency in Hz	50
Fuse rating in A	16
Number of phases	1
Mains cable with plug	•
Length of supply lead in m	2.00
Replacing lamps	Service
Accessories included	
Baking and roasting rack with PerfectClean	1
Wired food probe	1
Glass tray	2
Available display languages	
Available display languages via MultiLingua	bahasa malaysia, dansk, deutsch, english, español, français, hrvatski, italiano, magyar, nederlands, norsk, polski, português, pусский, română, slovenčina, slovenščina, srpski, suomi, svenska,


türkçe, українська, čeština, ελληνικά, , , ,

,


Miele

H 7840 BMX


Handleless microwave combination oven with a seamless design, automatic programmes and food probe



side view H7000 BM, installation drawings, GB, AUS 22 mm – glass, 23.3 mm – metal




built-in H7000 BM, installation drawing






built-in H7000 BM build-under, installation drawings

If the oven is to be installed under a hob, follow the instructions for installing the hob and the height of the hob.




H7x40BM/BMX, installation drawings, GB, AUS

1) Mains connection cable, L=2000 mm, 2) No connection in this area, 3) Lüftungsausschnitt min. 150 $\rm cm^2$




H226x-1B/BP/E/EP/I/IP, H2760B/BP, H28x0B/BP, H7x40BM/BMX, H7x6xB/BP/BPX, installation drawings




side view H7000 BM build-under, installation drawing, GB, AU

22 mm - glass, 23.3 mm - metal



 $\label{eq:BPBMBMX} \begin{array}{l} \text{H2xxx-1 B/BP/E/I/IP, H7xxx B/BP/BM/BMX, installation} \\ \text{drawings} \end{array}$

22 mm - glass, 23,3 mm - metal



H2xxx-1 B/BP/E/I/IP, H7xxx B/BP/BM/BMX, installation

22 mm - glass, 23,3 mm - metal